

# CLEANING LABORATORY EVALUATION SUMMARY

SCL #: 2019  
 DateRun: 07/03/2019  
 Experimenters: Lily Green  
 ClientType: Cleaner Manufacturer  
 ProjectNumber: Project #1  
 Substrates: Vinyl Composite Tiles  
 PartType: Coupon  
 Contaminants: Carbon Deposits, Food  
 Cleaning Methods: Manual Wipe  
 Analytical Methods: Gravimetric, Visual

Purpose: To compare the effectiveness of two cleaners on removing DCC 17 soil from painted VCT coupons.

Experimental Procedure: Three pre-weighed and L value measured coupons per cleaner were contaminated with 0.5g of DCC-17 soil (33 wt.% vegetable shortening, 33 wt.% lard, 33 wt.% vegetable oil, and 1 wt.% carbon lampblack) and air dried at room temperature (68°F) for 24 hours. Contaminated weights and L values were recorded before placing three coupons per cleaner into the Gardner Straight Line Washability (SLW) unit. A Kimberly-Clark Wypal reinforced paper towel was attached to the cleaning sled. The Wypall and each coupon were treated with two sprays and cleaned for 20 cycles (~30 seconds of cleaning). Cleaned coupons were wiped once with a dry paper towel before final weights were taken.

Results: Better Life Floor

Initial wt. of cont.	Final wt. of cont.	% Cont. Removed	% Average
0.3124	0.0198	93.66	95.02
0.2867	0.0233	91.87	
0.3138	0.0015	99.52	

Better Life L Values

Initial L	Cont. L	Clean L	% DET	% Average
94.75	35.40	79.97	75.10	77.95
95.65	25.78	80.15	77.82	
96.78	27.93	83.66	80.94	

Method Floor

Initial wt. of cont.	Final wt. of cont.	% Cont. Removed	% Average
0.3024	0.0148	95.11	95.75
0.2805	0.0040	98.57	
0.3074	0.0198	93.56	

Method L Values

Initial L	Cont. L	Clean L	% DET	% Average
96.46	23.44	82.77	81.25	83.96
96.79	19.92	84.22	83.65	
97.38	22.98	87.69	86.98	

Summary:

<b>Substrates:</b>		Vinyl Composite Tiles			
<b>Contaminants:</b>		Carbon Deposits, Food			
<b>Company Name:</b>	<b>Product Name:</b>	<b>Conc.:</b>	<b>Efficiency:</b>	<b>Effective:</b>	<b>Observations:</b>
Better Life	Floor Cleaner Citrus Mint	100%	95.02	<input checked="" type="checkbox"/>	
Method	Method Squirt and Mop Floor Cleaner	100%	95.75	<input checked="" type="checkbox"/>	

Conclusion: Both cleaners were considered effective at removing the DCC-17, but Method Floor had more effective stain removal.