

[Home](#)[Up](#)[Search](#)

MSDS HTF-50

Tarksol HTF-50

Material Safety Data Sheet

Trade Name: Tarksol HTF-50

Manufacturer: Tarksol, Inc.

3400 Ridge Road West,
S-300

Rochester, New York
14626

Tel: 585-663-3346

Fax: 585-621-2303

**Emergency
Telephone:** 585-746-7350

Date of M.S.D.S.: 2/12/99

SECTION 1 - IDENTIFICATION

Trade Name: Tarksol HTF-50

Chemical Family: Terpene Alcohol / Terpene hydrocarbon / DBE

Formula: Trade Secret (see Section II - Hazardous Ingredients)

**DOT Shipping
Information:** Not regulated by U.S. Department of Transportation

CAS Number: Not Applicable (mixture)

NFPA Designation: This product has not been rated by the NFPA. The

Tarksol Company has developed the following rating in accordance with the guidelines listed in NFPA 704, "Identification System-Fire Hazardous of Materials, 1985".

Hazard Rating:

		Health: 1
4 - Extreme	1 - Slight	Flammability: 1
3 - High	0 - None	Reactivity: 0
2 - Moderate	X - Blank	Specific: X

SECTION II - HAZARDOUS INGREDIENTS

Material:	% By Weight	CAS Number	LC50 / LD50 of Material
NONE-Hazardous			

Carcinogenicity Status: NTP-No OSHA-No

Trade Secret Information*

* This product's specific chemical identify is being withheld as a trade secret and is withheld in accordance with the provisions of **CFR 1910.1200**.

SECTION III - PHYSICAL DATA

Appearance: Clear Liquid
Odor: Very faint pine

pH:	Not Applicable
Viscosity (cps.)	11.1. cps
% Volatile:	100%
Solubility in Water:	Slight (greater than 10%)
Specific Gravity (Water=1):	1.051 @ 25° C
Vapor Density (Air=1):	>1
Vapor Pressure (mm Hg):	0.1436 mm Hg @ 25° C

SECTION IV - FIRE AND EXPLOSION

Flash Point:	>200° F (Tag Closed Cup)
Auto Ignition Temperature:	Not Applicable
Flammable Limits in Air (g/l)	Not Available
Extinguishing Media:	Dry chemical (sodium bicarbonate), foam or CO ₂
Special fire Procedures:	Use blanket or smothering effect to put out fire. Water is most effective when used as a mist or spray. (Class B fire procedure)

SECTION V - HEALTH HAZARD INFORMATION

Medical Conditions Aggravated by Exposure:	Dermatitis or Skin Conditions
Routes of Exposure:	

- Inhalation-** May cause irritation to mucus membrane
- Skin Contact-** May cause irritation or dermatitis
- Skin Absorption-** May cause irritation or dermatitis
- Eye Contact-** May cause stinging or burning
- Ingestion-** May cause irritation to the digestive system

Effects of Acute Over Exposure:

- Swallowing-** May cause irritation in the digestive system
- Skin Contact-** May cause irritation or dermatitis
- Inhalation-** May cause irritation to mucus membrane
- Eye Contact-** May cause stinging or burning

Effects of Chronic Over Exposure:

- Eye-** May cause eye damage
- Skin-** May cause dermatitis

Emergency First Aid Procedures:

- Eyes-** If in eyes, flush with plenty of water for at least 15 minutes. Get medical attention.
- Skin-** If on skin, immediately remove contaminated clothing and wash skin thoroughly with soap and water. If irritation persists call a physician.
- Inhalation-** If inhaled, remove to area of fresh air. If irritation persists, call a physician.
- Ingestion-** If swallowed, do not induce vomiting. Drink large quantities of milk or water. Never give anything by mouth to an unconscious person. Call a physician or the Poison Control Center.

SECTION VI - REACTIVITY DATA

Conditions Contributing to Instability:	This product is stable under normal conditions.
Incompatibility:	Strong oxidizing agents.
Decomposition Products:	None Known
Conditions Contributing to Hazardous Polymerization:	Will not occur

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken if Material is Released or Spilled:	Clean up personal must wear proper protective equipment. Reclaim material into closed containers for possible normal use or disposal. Dike all spills.
Waste Disposal:	Virgin material is not regulated by the Resource Conservation and Recovery Act (RCRA) (40CFR part 260-261).

SECTION VIII - SPECIAL PROTECTION INFORMATION

Ventilation Requirements:	None Required
----------------------------------	---------------

Special Personal Protective Equipment:

- Respiratory-** If needed, use NIOSH approved organic vapor respirator.
- Eyes-** Chemical splash goggles and / or face shield.
- Gloves-** Chemical resistant gloves.
- Other-** When handling large quantities, use of rubber apron and rubber boots is also recommended. Safety showers and eye wash facilities should be readily available. Wash thoroughly after handling.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in Handling:	Do not get in eyes.
Proper Storage, Handling and Disposal Requirements:	Store in cool dry area. Keep container closed when not in use. Store away from strong oxidizing agents. CAUTION: KEEP OUT OF REACH OF CHILDREN.
Other Precautions:	Prolonged contact with skin may cause chapping. Wear rubber or plastic gloves, chemical splash goggles and rubber apron when handling this product. Use in well ventilated area. Respiratory protection is not normally required. If needed, use NIOSH approved organic vapor respirator. The availability of eye washes and safety showers in work areas is recommended.

Regulatory Information

All ingredients are included in the Toxic Substance Control Act (TSCA) Inventory of Chemical Substances.

MSDS Prepared by: Tarksol, Inc.
3400 Ridge Road West, S-300
Rochester, New York 14626
Tel: 585-663-3346 Fax: 585-621-2303

Issued Date: Oct. 29, 1993

Revised: March 7, 1994
June 20, 1999

The Information contained herein is provided in good faith, however, no warranty, either expressed or implied, shall be made from the proceeding.

[[Home](#)] [[Up](#)]

**Send mail to webmaster@tarksol.com with questions or comments about this web site.
Last modified: September 07, 2001**