SECTION I - PRODUCT IDENTIFICATION

Manufacturer: Areaco Products, Inc.

Information Phone: 914 258-2039

707-B Executive Blvd.

Emergency Phone: 914 263-0039

Valley Cottage, NY

IDENTITY: Crystalbond 590 Stripper

3/23/2000

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

10993

CAS # ACGIH TLV Hazardous Ingredients

Blend of:

Sodium Tripolyphosphate 13573-18-7 N/D Sodium n-Dodecylbanzene 25155-30-0 N/D Sulfonate

Penta Hydrate Sodium Metasilicate

NZD _ 6834-92-0

All ingredients are bio degradable

SECTION III - PHYSICAL DATA

Specific Gravity: N/A Boiling Point: > N/A

Vapor Density (AIR=1): N/A Melting Point: N/AC

Evaporation Rate: Nil Vapor Pressure (ma Hg.): N/A

(Butyl Acetate=1)

Solubility in Water: 100%

Appearance and Odor: White Powder

SECTION IV - FIRE and EXPLOSION HAZARD DATA

Flash Point: > None Flassable Limits LEL: (N/A) UEL: (N/A)

Extinguishing Madia: Foas, carbon dioxide, dry powder water.

Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: N/A

Usinta: MITS. 02. PER GATON
Of WATER.

SECTION V - REACTIVITY DATA

Stability () Unstable (X) Stable

Conditions to avoid: Excessive heat, sparks, open flames.

Hazardous decomposition: Carbon monexide, carbon diexide.

Hazardous Polymerization () May Occur (X) Will Not Occur

SECTION VI - HEALTH HAZARD DATA

Effects of Overexposure

Inhalation: Not applicable.

Dermal exposure: If material is in molten state, exposure to skin will cause a severe thermal burn.

Eye irritation: Not applicable.

Ingestion: Not applicable.

Emergancy and First-Aid Procedures

Skin - Treat for thermal burn. See a physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: If material is unusable, sweep up and dispose of in a metal container. Provide adequate ventilation. Avoid excessive heat, sparks, open flames.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to be taken in handling and storing: Avoid excessive heat, sparks, open flames.

SECTION VIII SPECIAL PROTECTION INFORMATION

Use NIOSH approved mist respirator where spray occurs. Use of rubber gloves and chemical googles is recommended.

Good industrial hygiene practice requires that employee exposure be maintained below the recommended TLV. This is preferably achieved through the provision of adequate ventilation where necessary. Where dust cannot be controlled in this way, personal respiratory protection should be employed.

CHEMICAL COMPONENTS OF THIS PRODUCT WHICH ARE PRESENT IN REPORTABLE AMOUNTS AND ARE LISTED IN SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACT OF 1986 (SARA TITLE III) ARE SHOWN BELOW WITH THEIR CAS REGISTRY NUMBERS AND MAXIMUM COMPOSITION BY WEIGHT.

LISTED CHEMICAL

٠,

CAS NUMBER

MAX WT %

NONE

DISCLAIMER OF LIABILITY: THE INFORMATION CONTAINED HERE IN IS BASED ON DATA TAKEN FROM SOURCES BELIEVED TO BE BOTH CURRENT AND RELIABLE AT THE TIME OF PPUBLICATION. AREMOD PRODUCTS, INC MAKES NO WARRANTIES EXPRESSED OR IMPLIED, TO THE ACCURACY AND ASSUMES NO LIABILITY ARISING FROM ITS USE BY OTHERS. COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS THE RESPONSIBILITY OF THE USERS.