Put much depthees

## **MATERIAL SAFETY DATA SHEET**

Penetone® Corporation, 74 Hudson Ave., Tenatly, NJ 07670

CITRIKLEEN® XPC

Page: 1 of 4

Date Prepared: October 7, 1993

MSDS No.: 1842-310E

# SECTION 1 PRODUCT IDENTIFICATION & EMERGENCY INFORMATION

PRODUCT NAME: CITRIKLEEN XPC

GENERAL USE. Cleaning, degreasing

PRODUCT DESCRIPTION: Solvent emulsion

GENERIC INGREDIENTS: D'impnene, surfactants, coupling agents

**EMERGENCY TELEPHONE NUMBERS:** 

PENETONE 201-567-3000

CHEMTREC 800-424-9300

# **SECTION 2 HAZARDOUS INGREDIENT SECTION**

This product is hazardous as defined in 29 QFR1910.1200.

OSHA HAZARD COMBUSTIBLE

#### **OSHA HAZARDOUS INGREDIENTS**

EXPOSURE LIMITS 8 hrs. TWA (ppm)

Supplier

CAS#

OSHA PEL not established ACGIH TLV

884

D'imonene

5989-27-5

посездаризпеп

Standard Commence

## SECTION 3 HEALTH INFORMATION & PROTECTION

#### **EMERGENCY OVERVIEW:**

Clear, water white liquid with citrus odor.

Combustible. Can be irritating to eyes, skin, and respiratory tract.

## **POTENTIAL HEALTH EFFECTS:**

#### EYE CONTACT:

May cause irritation to eyes on prolonged contact. High vapor concentrations may be irritating.

#### SKIN CONTACT:

Frequent or prolonged contact may irritate or dry the skin, and cause dermatitis. Skin contact may aggravate an existing dermatitis condition.

#### INHALATION

High vapor/aerosol concentrations are irritating to the respiratory tract, may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects.

#### INGESTION:

Small amounts of this liquid may be drawn into the lungs by either swallowing or vomiting. This may cause severe and delayed health effects such as inflammation of the lungs and infection of the bronchi. Ingestion may cause imitation to the digestive tract.

#### CITRIKLEEN XPC

Page. 2 of 4

Date Prepared: October 7, 1993

MSDS No.: 1842-310E

#### CHRONIC:

Ingestion of large amounts of d'limonene has caused kidney and liver damage in male rats but not in female rats or mice of both species.

#### FIRST AID MEASURES:

#### EYE CONTACT:

Flush eyes with large amounts of water. See physician immediately.

Flush skin with large amounts of water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persista, consult physician.

#### INHALATION:

Remove person to fresh air. Administer oxygen or artificial respiration as needed. Call a physician immediately.

#### INGESTION:

If swallowed, give plenty of milk or water. DO NOT INDUCE VOMITING. Use a stomach pump. Call a physician immediately

#### **WORKPLACE EXPOSURE CONTROLS:**

## PERSONAL PROTECTION

Safety glasses are recommended for all workplace conditions. Solvent resistant gloves should be used. Other protective gear, including splash proof goggles or face shield, rubber boots, apron, gauntlets, or rain gear should be worn depending on how the product is used.

## VENTILATION:

None needed under normal use conditions. For enclosed areas, or where large amounts of the product are being used, the use of fans or other mechanical vertilation is recommended. An organic vapor mask or a particle mask should be used if the product is sprayed. DO NOT MIST THIS PRODUCT. Use coarse spray only.

## SECTION 4 FIRE & EXPLOSION HAZARDS

## FLASH POINT: 125°F PMCC

FLAMMABLE LIMITS: not determined

AUTOIGNITION TEMPERATURE: not determined

## **GENERAL HAZARD:**

Combustible liquid. Can form combustible mixtures at or above the flash point.

Containers can rupture and explode under fire conditions due to pressure and vapor buildup.

## FIRE FIGHTING:

Either allow fire to burn out under controlled conditions or extinguish with water, foam, or dry chemical.

Cool exposed containers with water spray.

## HAZARDOUS COMBUSTION PRODUCTS:

Smoke, tumes, and oxides of carbon.

# SECTION 5 SPILL CONTROL MEASURES

## LAND SPILL:

Eliminate sources of ignition. For small spills, use absorbent material such as towels or absorbent powders. Put all material into proper waste disposal container with lid tightly covered. Solvers soaked materials may spontaneously combust. For larger spills. dike spill, recover free liquid, and use absorbent material to dry area. Rinse area with water. Put all material into appropriate waste containers.

CITRIKLEEN XPC

Page: 3 of 4

Date Prepared. October 7, 1993 MSDS No.: 1842-310E

WATER SPILL:

Remove product from water surface by skimming or with suitable absorberts. This product contains surfactants which will cause it to disperse in water. Localized high concentrations of this product may cause fish kills, but no persistent or long term effects will result. Check with local environmental regulatory agencies for reporting requirements.

## **SECTION 6 HANDLING & STORAGE**

STORAGE TEMPERATURE, °F: ambient. DO NOT STORE ABOVE 120 Deg. F.

GENERAL! Keep away from heat sources, open flames, and other ignition sources. Do not store near strong oxidants.

# SECTION 7 TYPICAL PHYSICAL & CHEMICAL PROPERTIES

**BOILING POINT, °F:** 

Initial 322

**EVAPORATION RATE, Acetone = 1:** 

less than 0.05

SOLUBILITY IN WATER:

emuleifies

SPECIFIC GRAVITY at 75°F:

**ODOR AND APPEARANCE:** 

clear water white liquid with citrus odor

VAPOR PRESSURE, mm Hg at 20°C;

about 1.9 @ 70

VAPOR DENSITY (Air = 1):

WT% ORGANIC VOLATILES:

about 90 pH:

not applicable

## SECTION 8 REACTIVITY DATA

GENERAL:

This product is stable and hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID:

Strong oxidizing agents.

## SECTION 9 REGULATORY INFORMATION

## **DEPARTMENT OF TRANSPORTATION (DOT):**

PROPER SHIPPING NAME:

COMBUSTIBLE LIQUID, N.O.S.

(contains d'limonene)

HAZARD CLASS: COMBUSTIBLE LIQUID

**IDENTIFICATION NUMBER: NA 1993** 

LABEL: not required for nonbulk

PACKING GROUP: III

FLASH POINT: 125°F TCC

pH: not applicable

TSCA: The ingredients in this product are listed on the TSCA inventory.

CERCLA:

This product contains no CERCLA reportable materials. Contact local authorities to determine if there may be other local reporting requirements.

CITRIKLEEN XPC

Page: 4 of 4

Date Prepared: October 7, 1993 MSDS No 1842-310E

RCRA HAZARD CLASS:

D001 Ignitable hazardous waste

SARA TITLE III:

311/312 HAZARD CATEGORIES.

Acute health, Chronic health, Fire 313 REPORTABLE INGREDIENTS:

None

NEW JERSEY RIGHT-TO-KNOW INFORMATION:

This product contains d'limonene (CAS# 5989-27-5), tripropylene glycol monomethyl ether (CAS# 20324-33-8), and nonylphenol ethoxylates (CAS# 9016-45-9).

CALIFORNIA PROPOSITION 65 INFORMATION:

This product does not contain any chemicals recognized by the state of California to cause cancer and/or birth defects or

SCAQMD INFORMATION:

is there a photochemically reactive material present? Yes

What is the % by volume of photochemically reactive material? about 80

What is the VOC content? 790 g/l

What is the vapor pressure of VOC's? 1.9 mm Hg @ 20°C

# SECTION 10 NOTES

# HAZARD RATING SYSTEMS:

HEALTH	HMIS 1	NFPA 1	KEY
FLAMMABILITY REACTIVITY	2	2	4 = Severe 3 = Serious
	ď		2 = Moderate 1 = Slight
			0 = Minimal

# **REVISION SUMMARY:**

None

SUPERSEDES ISSUE DATE:

FOR ADDITIONAL PRODUCT INFORMATION, CONTACT YOUR SALES ENSINGER FOR ADDITIONAL HEALTH/SAFETY INFORMATION, CALL 201-567-3000

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCUPATE TO THE BEST OF PENETONIES KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMPILETON WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR