

BG-Clean 617

Ink and Graffiti Cleaner

Product Description

BG-Clean[™] 617 is an aqueous based cleaner designed for light to medium duty cleaning of ink and graffiti from fabrics and hard surfaces. The product is also highly effective on grease, oil residue, and dirt. It works well on metals, painted surfaces, fabrics, and the like. Application areas include schools, offices, subways, bus stations, factories, or any place that unwanted dirt and graffiti have appeared.

BG-Clean[™] 617 penetrates and removes industrial inks, oil, dirt, resin, flux, and some paints making it an effective weapon against graffiti.

BG-Clean[™] 617 offers significant advantages compared to other cleaners including:

BG-Clean[™] 617 cleans as well as chemicals such as Methylene Chloride, but without the negative safety and environmental impacts.

BG-Clean[™] 617 not only works on inks and paints but also can clean oil and grease, making it a dual use product.

BG-Clean[™] 617 rinses clean with water and leaves no residue behind.

BG-Clean[™] 617 is safe to store, handle, and use and is 100% rapidly biodegradeable.

BG-Clean[™] 617 works well on fabric surfaces such as carpets and upholstery.

BG-Clean[™] 617 can be applied by hand or in conjunction with power washers.



Product Application

BG-Clean[™] 617 should be applied at concentrations ranging from 20 to 100%. Dilutions will vary with the usage situation and application method. When cleaning ink and graffiti, use anywhere from a full concentrate product to a 20% solution diluted with water. When cleaning dirt and grease use a 10% to 20% solution.

Spray, mop, or wipe BG-Clean[™] 617 over the surface to be cleaned and allow it to penetrate for 1 to 3 minutes. Next agitate the surface with a brush or high pressure water. Last, rinse the surface with clean water and repeat as necessary. Hot water and high pressure will speed the cleaning process in most cases.

Technical Data

Chemical Type: Aqueous Surfactant Mixture

Solubility in Water: Complete

Oil Emulsifying Capability: Medium/High
Oil Dispersant Capability: Not Applicable
Dilution Rate: Ink/Graffiti: 20-100%; Oil: 10-20%

Penetration: High

Flash Point: >170F Boiling Point: >330F Odor: Mild Fresh Scent

pH: Neutral

Biodegradability: 100%; 90% within 21 days

HMIS (Safety): 1-1-0-C