

ServeCo Wood Polish

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Trade Name	Wood Polish
Product Code	SVC-1135-151

Relevant identified use of the substance or mixture and uses advised against

Identified use(s)	Surface Protecting Furniture Polish.
Uses Advised Against	None

Details of the Supplier Name of the safety data sheet

Company Identification	ServeCo North America 19 Smiley Ingram Road SE Cartersville, GA 30121 (888) 818-3229 info@serveco.com
Telephone:	
Email	

Emergency Phone Number:

VelocityEHS 1-800-255-3924
+01-813-248-0585 – Outside U.S.

SECTION 2: HAZARD IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Eye Dam. 1; Skin Sens. 1;
-----------------------------	---------------------------

Label Elements

Hazard Symbol(s)



Signal Word(s)

Danger

Hazard Statement(s)

Causes serious eye damage.
May cause an allergic skin reaction.

Precautionary Statement(s)

Wear protective gloves, protective clothing, eye protection, face protection.
Wash hands and exposed skin after use.
Contaminated work clothing should not be allowed out of the workplace.
Avoid breathing mist, vapors and spray.
If symptoms develop, obtain medical attention.

Other hazards

Harmful to aquatic life.

Additional information

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

ServeCo Wood Polish

Composition information on ingredients	%WW	CAS No.	Hazard Classification
Distillates (petroleum), hydrotreated heavy naphthenic	5 – 10	64742-52-5	Asp Tox. 1; H304
Alcohols, C9-11, ethoxylated	1 – 5	68439-46-3	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 2; H401
Proprietary non-ionic surfactant(s)	< 1	Trade Secret	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 3; H402
Fragrance	< 1	Mixture	Flam. Liq. 3; H226 Asp Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic; H410

The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation	Move person to fresh air. If symptoms develop, obtain medical attention.
Skin Contact	Wash with plenty of soap and water. If skin irritation occurs, get medical advice or attention. Take off contaminated clothing and wash it before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Ingestion	Do not give anything by mouth to an unconscious person. Do not induce vomiting. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Causes serious eye damage. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Get immediate medical attention for eye contact, skin contact and ingestion.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media	Non-combustible. Use media as appropriate for surrounding fire.
Unsuitable Extinguishing Media	None anticipated.

Specific hazards arising from the substance or mixture

Combustion or thermal decomposition will evolve toxic and irritant vapors. Vapors form Carbon monoxide, Carbon dioxide.

Advice for fire-fighters

Fire fighters should wear protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire.

ServeCo Wood Polish

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear protective gloves, eye protection and face protection. Avoid breathing mist, vapors and spray.

Environmental precautions

Do not allow to enter drains, sewers or watercourses.

Methods and material for containment and cleaning up

Contain spillages with sand, earth or any suitable adsorbent material. Collect spillage. Transfer to a container for disposal or recovery. Wash the spillage area with water.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid breathing mist, vapors and spray. Contaminated work clothing should not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage temperature

Store in well-ventilated place. Keep cool. Keep container tightly closed. Protect from sunlight.

Incompatible materials

Non known.

Specific end use(s)

Surface Protecting Furniture Polish.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

SUBSTANCE	Cas No.	(8 hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
Distillates (petroleum), hydrotreated heavy napthenic	64742-52-5	-----	-----	-----	-----	-----
Alcohols, C9-11, ethoxylated	68439-46-3					
Proprietary non-ionic surfactant(s)	Trade Secret					
Fragrance	Mixture					

Exposure controls

Appropriate engineering controls

Ensure adequate ventilation to remove vapors, fumes, dust, etc.

Personal Protection equipment

The following is to be used as necessary:

Eye/face protection

Wear protective goggles to prevent eye contact.

Skin Protection (Hand protection / other)

Gloves (Butyl rubber, Neoprene or natural rubber)

Respiratory protection

Not normally required. In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

ServeCo Wood Polish

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information of basic physical and chemical properties

Appearance	Viscous white liquid
Color	White
Odor	Lemon
Odor Threshold (ppm)	Not available.
pH (Value)	Ca. 6.5
Melting Point / Freezing Point	Not available.
Boiling point/boiling range	Ca. 100°C (212°F) (water)
Flash Point	Not available.
Evaporation rate	ca. 1
Flammability (solid, gas)	Not applicable.
Explosive Limit Ranges	Not available.
Vapor pressure (Pascal)	Not available.
Vapor Density (Air = 1)	Not available.
Density (g/L)	Ca. 0.97 (+/- 0.02)
Solubility (water)	Emulsifies
Solubility (other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Point	Not applicable.
Decomposition Temperature	Not available.
Kinematic Viscosity	Not available. Dynamic Viscosity at 25°C (77°F) 11,000-13,000 cP
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable
Possibility of hazardous reactions	None anticipated
Conditions to avoid	Incompatible materials.
Incompatible materials	Strong oxidizers or reducing agents.
Hazardous decomposition product(s)	Combustion or thermal decomposition will evolve toxic and irritant vapors. Vapors form oxides of carbon, nitrogen and phosphorus.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Skin Contact: May cause an allergic skin reaction.
 Eye Contact: Causes serious eye damage with redness and blurring. Permanent eye is possible.
 Ingestion: No harmful effects expected.
 Inhalation: No harmful effects expected.
 Repeated Dose Toxicity: None Known.
 Mutagenicity: None of the ingredients are classified as mutagens.
 Reproductive Toxicity: None of the ingredients are anticipated to damage fertility or the unborn child.
 Carcinogenicity: None of the ingredients are listed as carcinogens by IARC, NTP, or OSHA.

ServeCo Wood Polish

Alcohols, C9-11, ethoxylated:

Acute toxicity

Oral: LD50 1400 mg/kg (rat)

Dermal: LD50 > 5000 mg/kg (rat)

Distillates (petroleum), hydrotreated heavy napthenic:

Acute toxicity

Oral: LD50 >50000 mg/kg (rat)

Dermal: LD50 > 5000 mg/kg (rat)

Inhalation: LC50 > 5 mg/L (rat) (1hr)

SECTION 12: ECOLOGICAL INFORMATION

Substances in preparations / mixtures:

Alcohols, C9 – 11, ethoxylated:

Acute toxicity:

LC50: 8.5 mg/l (fish) (96 hr)

EC50: 5.3 mg/l (Daphnia magna) (48 hr)

ErC50: 1 – 10 mg/l (algae) (96 hr)

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

Not available.

Mobility in soil

Not available.

Results of PBT and vPvB

Not available.

Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

Additional Information

None known.

SECTION 14: TRANSPORT INFORMATION

	UN Number	Proper Shipping Name	Hazard Class	Packing Group	Environmental hazards	Other information
U.S. DOT		Not classified as dangerous for transport				
Sea Transport (IMDG)		Not classified as dangerous for transport				
Air Transport (ICAO/IATA)		Not classified as dangerous for transport				

Transport in bulk according to Annex II of MARPOL73/79 and the IBC code: Not applicable

ServeCo
Wood Polish**SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) – All of the components of this product are listed on or exempted from TSCA.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4): None

SARA 311/312 – Hazard Categories: Refer to Section 2 for OSHA Hazard Classification.

SARA 313 – Toxic Chemicals (40 CFR 372): None

SARA 302 – Extremely Hazardous Substances (40 CFR 355): None

Proposition 65 (California): None

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: # 2,3,9,11,15

Date of preparation/Revision: March 3, 2021

Hazard Classes and Hazard Statements (Sections 2 and 3)

Flam. Liq. 3 – Flammable Liquid Category 3
Skin Irrit. 2 – Skin Irritation Category 2
Skin Sens. 1B – Skin Sensitization Category 1B
Eye Dam. 1 – Eye Damage Category 1
Asp. Tox. 1 – Aspiration Hazard Category 1
Acute Tox. 4 – Aspiration Toxicity – Oral Category 4
Aquatic Acute 1 – Aquatic Toxicity – Acute Category 1
Aquatic Acute 2 – Aquatic Toxicity – Acute Category 2
Aquatic Acute 3 – Aquatic Toxicity – Acute Category 3
Aquatic Chronic 1 – Aquatic Toxicity – Chronic Category 1

Hazard Statement(s) Listed in:

H226: Flammable liquid
H302: Harmful if swallowed
H304: May be fatal if swallowed and enters airways
H315: Causes skin irritation
H317: May cause an allergic skin reaction
H318: Causes serious eye damage
H400: Very toxic to aquatic life
H401: Toxic to aquatic life
H402: Harmful to aquatic life
H410: Very toxic to aquatic life with long lasting effects

This information relates only to the specific materials designated herein and does not relate to use in combination with any other material or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.