

CLEANING LABORATORY EVALUATION SUMMARY

SCL #: 2019

DateRun: 03/28/2019

Experimenters: Justin Rainaud, Lily Green, Aditi Patel, Aaron Wilson

ClientType:

ProjectNumber: Project #1

Substrates: Glass/Quartz, Chrome

PartType: Coupon

Contaminants: Films, Soaps

Cleaning Methods: Manual Wipe

Analytical Methods: Gravimetric, Visual

Purpose: To evaluate the effectiveness of a glass cleaner on the removal of SSL Soil 2 Glass from several substrates.

Experimental Procedure: Prew weighed Glass, Chrome, coupons were coated with SSL Soil 2 (Glass soap scum: Water 51.5%, Hair gel 25.6%, Toothpaste 10.4%, Shaving cream 5.3%, Hair spray 3.7% and Spray deodorant 3.5%) using a handheld swab and allowed to dry for 24 hours at room temperature. The contaminated coupons were weighed again to determine the amount of soil added. Three coupons were placed into a Gardner Straight Line Washability unit. A Wypall L60 reinforced wipe was attached to the cleaning sled and soaked with 1 spray of cleaning solutions. 1 scoop of salt was added to water to make E-Mop cleaner (1 scoop of salt = 3.0516 g). Each coupon was sprayed 1 time with the same cleaning solution. The solution was allowed to penetrate for 30 seconds followed by cleaning in the SLW unit for 5 cycles (~10 seconds). Coupons were left to dry overnight before final weights and efficiencies were recorded.

Results:

Cleaner	Substrate	Initial Weight of Cont.	Final Weight of Cont.	% Cont. Removed	Average % Removed	Overall % Removed
Thane Direct E-Mop	Glass	37.7009	0.0015	97.65	97.73	97.815
		37.7016	0.0017	98.38		
		37.6323	0.0011	97.17		
	Chrome	63.3620	0.0001	99.85	97.90	
		64.2003	0.0024	96.13		
		64.5190	0.0018	97.73		
Windex	Glass	37.5465	0.0013	98.01	98.04	96.67
		37.7371	0.0015	97.63		
		37.4404	0.0010	98.48		
	Chrome	63.7205	0.0039	94.14	95.33	
		63.0794	0.0024	96.05		
		63.9050	0.0027	95.81		

Streaking 1= no visible streaking, 7= high streaking. Filming 1 = no visible filming, 7= high filming.

Cleaner	Substrate	Tester	Filming Score	Average Filming Score	Total Avg Filming Score	Streaking Score	Average Streaking Score	Total Avg Streaking Score
E-mop	A	1	2	1.3	2	4	1	2
		2	2	3.3	2.6	5	5	4.3
		3	1	4.4	3	3.5	3.5	3.3
	B	1	2.5	4.4	3.5	6	6	5.7
		2	5	6.5	5.3	6	7	5.5
		3	4	6.5	5.5	6.5	7	6.8
	A	1	3.5	4.3	3.5	2	2	2
		2	2	2.1	1.6	1.5	3	2.2
		3	3	5.5	4.3	1.5	2	1.8
Windex	B	1	6	5.6	5.6	6	2	4.3
		2	5	6.6	5.6	6	6	7
		3	5.5	5.4	4.8	6	5	6
	A	1	6	5.6	5.6	6	2	4.3
		2	5	6.6	5.6	6	6	7
		3	5.5	5.4	4.8	6	5	6

Summary:

CLEANING LABORATORY EVALUATION SUMMARY

Substrates:	Glass/Quartz, Chrome				
Contaminants:	Films, Soaps				
Company Name:	Product Name:	Conc.:	Efficiency:	Effective:	Observations:
Thane Direct Inc	E Mop	100	97.82	<input checked="" type="checkbox"/>	
SC Johnson & Son Inc	Windex Glass & More Cleaner (Spray)	100	96.67	<input checked="" type="checkbox"/>	

Conclusion:

E-mop and Windex were effective at removing SSL Soil 2 Glass from glass and Chrome surfaces. The overall average removal rate was 97.815% and 96.67%