

CLEANING LABORATORY EVALUATION SUMMARY

SCL #: 2021
 DateRun: 06/01/2021
 Experimenters: Ross Goding, Edward Judge
 ClientType: Lab
 ProjectNumber: Project #4
 Substrates: Glass/Quartz, Other, Chrome
 PartType: Coupon
 Contaminants: Glass
 Cleaning Methods: Manual Wipe
 Analytical Methods: Gravimetric, Visual
 Purpose: To test the effectiveness of Windex Glass Cleaner in the removal of SSL Soil 2 Glass Soil from various substrates

Experimental Procedure: A Windex Glass Cleaner solution was gather to begin testing. Then, 3 coupons of each substrate (chrome, glass, mirror) were collected and initial weights were taken. SSL Soil 2 Glass Soil was applied to each coupon and allowed to air dry for 24 hours. After the 24 hour dry time, the weights of the newly contaminated coupons were measured. All coupons were placed into a Gardner-scrub Abrasion Tester machine. Wypall cleaning cloths were attached to each of the 3 cleaning blocks used for the test. Each Wypall cloth and all coupons received 2 sprays of the Windex Glass Cleaner solution and the Gardner-scrub Abrasion Tester was run for 20 repetitions, simulating 20 manual wipes. Once cleaning concluded, the cleaned coupons were allowed to air dry for 24 hours. After 24 hours, the weights of the cleaned coupons were measured.

Results:

Cleaner	Substrate	Initial wt of cont.	Final wt of cont.	%Cont Removed	% AVG	% Overall
Windex Glass Cleaner	Chrome	0.1381	0.0019	98.62	87.37	88.89
		0.1065	0.0022	97.93		
		0.1197	0.0544	54.55		
	Glass	0.0489	0.0008	98.36	87.58	
		0.0541	0.0000	100.00		
		0.0449	0.0160	64.37		
	Mirror	0.0755	0.0079	89.54	91.74	
		0.0722	0.0024	96.68		
		0.0664	0.0073	89.01		

Summary:

Substrates:		Glass/Quartz, Other, Chrome			
Contaminants:		Glass			
Company Name:	Product Name:	Conc.:	Efficiency:	Effective:	Observations:
SC Johnson & Son Inc	Windex Glass & More Cleaner (Spray)	100%	88.89	<input checked="" type="checkbox"/>	Windex Glass Cleaner was effective in removing Glass Soil from various substrates.

Conclusion: Windex Glass Cleaner was effective in the removal of SSL Soil 2 Glass Soil from chrome, glass, and mirror substrates.