

# CLEANING LABORATORY EVALUATION SUMMARY

SCL #: 2019  
 DateRun: 03/27/2019  
 Experimenters: Sabrina Apel  
 ClientType: Cleaner Manufacturer  
 ProjectNumber: Project #1  
 Substrates: Glass/Quartz, Chrome  
 PartType: Coupon  
 Contaminants: Films, Soaps  
 Cleaning Methods: Manual Wipe  
 Analytical Methods: Gravimetric, Visual

Purpose: To compare the effectiveness of the supplied cleaner, Sample 1 Condensate, to the comparative cleaner, Windex, for cleaning SCL Soil 2 Glass from glass and chrome substrates using the Manual SLW unit.

Experimental Procedure: Nine pre-weighed coupons per cleaner (three glass, three chrome) were coated with one half of a gram of SCL Soil 2 Glass (Glass soap scum: Water 51.5%, Hair gel 25.6%, Toothpaste 10.4%, Shaving cream 5.3%, Hair spray 3.7% and Spray deodorant 3.5%), at room temperature, using a handheld swab. The contaminated coupons were air dried for 24 hours at room temperature and weighed again to determine the amount of soil added the following day.

Three coupons of each substrate were placed in the SLW unit, and a KC Wypal reinforced paper towel was attached to the cleaning sled and treated with two sprays of cleaning solution. Each coupon was sprayed twice with the same cleaning solution. The cleaning unit was run for 20 cycles (equivalent of 30 seconds of cleaning). Coupons were dried and final weights were recorded. Efficiencies were calculated and recorded.

Visual observations were made on the coupons for spotting and filming following the general guidelines set forth in the CSPA DCC 09A. Filming is best recognized as "haziness" or overall "miliness", while streaking is best identified as dried droplets or "spotting", usually found strung together into thin white lines. Each set of coupons were evaluated by 3 lab technicians for filming and streaking, (i.e., product residues without added soil), according to a scale of "1" to "7" where:

Filming                      Streaking  
 7 = high filming              7 = high streaking (poor performance)  
 1 = no visible filming      1 = no visible streaking (excellent performance)

Results: The two cleaning products removed over 90% of SCL Soil 2 Glass on each substrate using the manual wipe unit.

Table 1: Gravimetric Analysis

Cleaner	Substrate	Initial wt of cont.	Final wt of cont.	%Cont Removed	% Average
Sample 1 Condensate	Glass	0.0947	0.0090	90.50	96.05
		0.0945	0.0004	99.58	
		0.0878	0.0017	98.06	
	Chrome	0.0795	0.0009	98.87	97.61
		0.0783	0.0034	95.66	
		0.0646	0.0011	98.30	
Windex	Glass	0.0795	0.0051	93.58	95.61
		0.0891	0.0013	98.54	
		0.0830	0.0044	94.70	
	Chrome	0.0970	0.0030	96.91	94.03
		0.1017	0.0085	91.64	
		0.1052	0.0068	93.54	

Table 2: Visual Analysis

Cleaner	Coupon Type	Streaking			Average Streaking	Filming			Average Filming
Sample 1 Condensate	Glass	2	2	2	2.00	2	1	1	1.33
Windex	Glass	4.5	3.5	3	3.67	4	1	2	2.33

Summary:

## CLEANING LABORATORY EVALUATION SUMMARY

<b>Substrates:</b>	Glass/Quartz, Chrome				
<b>Contaminants:</b>	Films, Soaps				
<b>Company Name:</b>	<b>Product Name:</b>	<b>Conc.:</b>	<b>Efficiency:</b>	<b>Effective:</b>	<b>Observations:</b>
Ambrosia Industrial-Organic	Ambrosia Sample 1 Condensate	100	96.83	<input checked="" type="checkbox"/>	
SC Johnson & Son Inc	Windex Glass & More Cleaner (Spray)	100	94.82	<input checked="" type="checkbox"/>	

**Conclusion:**

Sample 1 Condensate and Windex efficiently removed SCL Soil 2 Glass on glass and chrome substrates using the Manual SLW Unit. Sample 1 Condensate was more effective than the comparative cleaner, Windex, with respective removal rates of 96.83% and 94.82%. According to the visual analysis table for filming and streaking ratings, Sample 1 Condensate cleaner was determined to be the highest performing glass cleaner on glass and chrome substrates in both filming and streaking compared to Windex.